



800kVA

HazSpec Generator with added Safety Features



We stock a range of generators with a bespoke "HazSpec" specification to combat the serious safety risk of operating diesel generators in hazardous or explosive environments.

Chalwyn valves and spark arrestors have been factory fitted to our John F Hunt Power specification Fusteq generators to create our exclusive "HazSpec" units.

On these HazSpec generators, the chalwyn valve blocks the air intake system, cutting off all air intake along with

potential external fuel sources; whilst the spark arrestors prevent the emission of flammable debris from the engine.

Feature

- Hot dip galvanised sound attenuated enclosure
- Bunded 1700 litre base fuel tank with 3 way valve
- 4 Base lift points
- 4 Pole circuit breaker with earth leakage Protection with on off switch
- Deep sea 8610 load share control panel
- Plastic coated locks and handles. Lockable canopy with common single key
- Racor filter
- 50/60 Hz switchable
- Low water level alarm
- Low oil level alarm
- Cummins water separator filter
- Sump oil vac pump
- Battery isolator
- Low oil pressure sensor
- Water temperature sensor
- CT for genset paralleling
- Hardwire via copper busbar
- Microswitch protection
- Motorized MCCB
- Alternator anti condensation heater
- Battery charger
- R731 3 phase regulator
- Alternator Ref: LEROY SOMER / MECC ALTE

Standby kVA	Prime Power kVA	Engine Make / Type	Governor	Tank Capacity (Litre)	Fuel Consumption per hour (Litre) 50% 75% 100%			dBA @ 7m	Size (mm)	Wet Weight (kg)
880	800	CUMMINS	Electronic	1700	86	122	162	61	L 5850 W 2280 H 2400	13400

South East Depot

Europa Park, London Road, Grays, Essex, RM20 4DB T: 01375 366766

Midlands Depot

Fairfield Park, Off Fairfield Road, Halesowen, West Midlands B62 9JL T: 0121 559 1818

South West Depot

Bradley Road, Bristol BS20 7NZ T: 0117 901 2199

Scotland Depot

Nasmyth Square Livingston West Lothian EH54 5GG T: 01506 353 399

North East Depot

Portobello Trading Estate Shadon Way Chester-Le-Street DH3 2RN Tel: 0191 411 1200

